

ATTACHMENT I
MARKED UP VERSION OF PARAGRAPHS TO SHOW CHANGES MADE

[0016] The WWW-server 5 reports/communicates the address and capabilities of the utilization [(device)] 6. The utilization [(device)] 6 requests from the information data bank 7 the information data belonging to the address <http://www.info.com/> and formats these in correspondence to the capabilities of the end terminal 1. Since the end terminal 1 can represent only text, the application [(device)] generates only textual information in black-and-white representation. Graphics are not generated or cannot be read from the information data bank. The application [(device)] 6 delivers the data to the server 5 which sends these to the WWW-browser in 1. The WWW-browser interprets the formatting and makes the information data available in the display of the end terminal 1.

[0017] Example 2:

The user uses, in contrast to example 1, a notebook 2. As described in example 1, the WWW-server 5 obtains the information data about the capabilities of the end terminal 2 and forwards these data to the utilization [(device)] 6. Since the end terminal can represent graphics with a maximum of 256 colors, the utilization [(device)] 6 generates or conveys from the information data bank 7, graphics with a maximal color depth of 256 colors, which insofar as possible do not exceed 640 x 480 pixels. For the coloration of text information data, there are chosen only colors from a given color pallet with 256 colors standing for selection. The utilization [(device)] 6 delivers the data to the server 5, which sends these to the WW-browser in the end terminal 2. The WWW- browser interprets the formatting and represents the information data in the display of the notebook 2. In comparison to example 1, because of the color information data and of the graphics, a larger data volume must be transmitted between the WWW-server and the end terminal. However, the size and color depth (256 colors)are utilized.

[0018] Example 3:

In contrast to examples 1 and 2, the user uses a desktop computer 3. Since, as in examples 1 and 2, the capabilities of the end terminal 3 are known by the utilization [(device)] 6, the utilization [(device)] 6 generates or conveys from the information data bank 7 graphics with a maximal color depth of 16 million colors, which insofar as possible do not exceed 1600 x 1200 pixels. For the coloration of text information data, there are chosen colors from a color pallet with 16 million colors standing for selection.

PATENT

The utilization [(device)] 6 delivers the data to the server 5, which sends these to the WWW-browser in the end terminal 3. The WWW-browser interprets the formatting and represents the information data in the display of the desktop computer 3. In comparison to examples 1 and 2, because of the color and graphics information data, a greater data volume must be transmitted between the WWW-server and the end terminal. The size and color depth (16 million colors) of the display, however, are utilized.